

| | | | |
|-----------------------------|------------------------------|--------------------------------|---------------------------|
| Архангельск (8182)63-90-72 | Калининград (4012)72-03-81 | Нижний Новгород(831)429-08-12 | Смоленск (4812)29-41-54 |
| Астана +7(7172)727-132 | Калуга (4842)92-23-67 | Новокузнецк (3843)20-46-81 | Сочи (862)225-72-31 |
| Белгород (4722)40-23-64 | Кемерово (3842)65-04-62 | Новосибирск (383)227-86-73 | Ставрополь (8652)20-65-13 |
| Брянск (4832)59-03-52 | Киров (8332)68-02-04 | Орел (4862)44-53-42 | Тверь (4822)63-31-35 |
| Владивосток (423)249-28-31 | Краснодар (861)203-40-90 | Оренбург (3532)37-68-04 | Томск (3822)98-41-53 |
| Волгоград (844)278-03-48 | Красноярск (391)204-63-61 | Пенза (8412)22-31-16 | Тула (4872)74-02-29 |
| Вологда (8172)26-41-59 | Курск (4712)77-13-04 | Пермь (342)205-81-47 | Тюмень (3452)66-21-18 |
| Воронеж (473)204-51-73 | Липецк (4742)52-20-81 | Ростов-на-Дону (863)308-18-15 | Ульяновск (8422)24-23-59 |
| Екатеринбург (343)384-55-89 | Магнитогорск (3519)55-03-13 | Рязань (4912)46-61-64 | Уфа (347)229-48-12 |
| Иваново (4932)77-34-06 | Москва (495)268-04-70 | Самара (846)206-03-16 | Челябинск (351)202-03-61 |
| Ижевск (3412)26-03-58 | Мурманск (8152)59-64-93 | Санкт-Петербург (812)309-46-40 | Череповец (8202)49-02-64 |
| Казань (843)206-01-48 | Набережные Челны(8552)205341 | Саратов (845)249-38-78 | Ярославль (4852)69-52-93 |

Единый адрес для всех регионов mtt@nt-rt.ru <http://mettler.nt-rt.ru/>

Защитные кожухи

Защитный кожух защищает от воздушных потоков и повышает точность взвешивания. Все весы с дискретностью 1 мг и менее поставляются в комплекте с защитным кожухом.

NewClassic ML Draft Shield flexi



- Only for models with round pan
- Height 100 mm
- All glass panels are removable

NewClassic MS-S Draft Shield with sliding doors (left/right/top)



- Only for 0.1 mg / 0.001 g models
- Working height 237 mm
- The QuickLock feature allows all glass panels to be removed in just a few simple steps for easy cleaning.

NewClassic MS-S Draft Shield with sliding doors (left/right/top)



- Only for 0.1 mg / 0.001 g models
- Working height 165 mm
- The QuickLock feature allows all glass panels to be removed in just a few simple steps for easy cleaning.

NewClassic Precision ML-DS-21



- Draft shield for ML precision balances
- Working height 227 mm
- Only for models with a readability of 0.01g and 0.1g
- Air Flow protection against air conditioning or air turbulances
- Flexible use: every panel can be removed

NewClassic Precision MS-DS-21



- Draft shield for MS-S precision balances
- Working height 213 mm
- Only for models with a readability of 0.01g and 0.1g
- Air Flow protection against air conditioning or air turbulances
- Flexible use: every panel can be removed

PL-S/PL-L glass cylinder for compact models



- Max pan \varnothing 120 mm

XP-DS-21 Precision Balances



- Draft shield for XP precision balances
- Working height 216 mm
- Only for models with a readability of 0.01g and 0.1g
- Air Flow protection against air conditioning or air turbulances
- Flexible use: every panel can be removed

XP/XS Micro and Ultra Micro Balances MC W5 Draft Shield



- Dimension (WxDxH) 200x447x200 mm
- The balance is totally enclosed by the draft shield
- This second draft shield reduces air flow to the minimum resulting in optimized repeatability and a faster stabilization time

XP/XS/XA Precision Balances MagicCube Draft Shield



- S-Platform (1 mg models)
- Effective height 175 mm
- The MagicCube Draft Shield allows large and heavy tare vessels to be conveniently and accurately placed onto the weighing pan.

XP/XS/XA Precision Balances MC W12 Draft Shield

- S-Platform- Dimensions (WxDxH) 300x450x450 mm - The balance is totally enclosed by the draft shield - The complete separation of the two guarantees that no vibration is transferred to the balance

XP/XS/XA Precision Balances MC W64 Draft Shield

- S- and L-Platform.- Dimensions (WxDxH) 550x470x580 mm.- The balance is totally enclosed by the draft shield.- The complete separation of the two guarantees that no vibration is transferred to the balance.

XP/XS/XA Precision Balances Pro Draft Shield



- S-Platform (1 mg and 0.1 mg models)
- Effective height 248 mm
- The Pro Draft Shield has patented sliding doors (left/right/top) which do not extend beyond the back of the balance.
- Save valuable space in your lab!

XP/XS/XA Precision Balances Pro Draft Shield glass-free



- S-Platform (1 mg and 0.1 mg models, food industry)
- Effective height 248 mm
- The glass free Pro Draft Shield meets requirements of the HACCP for standards in the food industry.

XP/XS/XA Precision Balances Simple Draft Shield



- S-Platform (0.1 g and 10 mg models)- Effective height 175 mm- For XP/XS 0.1 g models the Simple Draft Shield must be used in conjunction with the 170 x 205 mm weighing pan

| | | | |
|-----------------------------|------------------------------|--------------------------------|---------------------------|
| Архангельск (8182)63-90-72 | Калининград (4012)72-03-81 | Нижний Новгород(831)429-08-12 | Смоленск (4812)29-41-54 |
| Астана +7(7172)727-132 | Калуга (4842)92-23-67 | Новокузнецк (3843)20-46-81 | Сочи (862)225-72-31 |
| Белгород (4722)40-23-64 | Кемерово (3842)65-04-62 | Новосибирск (383)227-86-73 | Ставрополь (8652)20-65-13 |
| Брянск (4832)59-03-52 | Киров (8332)68-02-04 | Орел (4862)44-53-42 | Тверь (4822)63-31-35 |
| Владивосток (423)249-28-31 | Краснодар (861)203-40-90 | Оренбург (3532)37-68-04 | Томск (3822)98-41-53 |
| Волгоград (844)278-03-48 | Красноярск (391)204-63-61 | Пенза (8412)22-31-16 | Тула (4872)74-02-29 |
| Вологда (8172)26-41-59 | Курск (4712)77-13-04 | Пермь (342)205-81-47 | Тюмень (3452)66-21-18 |
| Воронеж (473)204-51-73 | Липецк (4742)52-20-81 | Ростов-на-Дону (863)308-18-15 | Ульяновск (8422)24-23-59 |
| Екатеринбург (343)384-55-89 | Магнитогорск (3519)55-03-13 | Рязань (4912)46-61-64 | Уфа (347)229-48-12 |
| Иваново (4932)77-34-06 | Москва (495)268-04-70 | Самара (846)206-03-16 | Челябинск (351)202-03-61 |
| Ижевск (3412)26-03-58 | Мурманск (8152)59-64-93 | Санкт-Петербург (812)309-46-40 | Череповец (8202)49-02-64 |
| Казань (843)206-01-48 | Набережные Челны(8552)205341 | Саратов (845)249-38-78 | Ярославль (4852)69-52-93 |

Единый адрес для всех регионов mtt@nt-rt.ru <http://mettler.nt-rt.ru/>